

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	3326	380/28 or 380/259 or 380/201	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/06/06 16:25
L3	3832	382/293-296 or 382/100	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/06/06 16:26
L4	1227	713/189 or 713/193-194	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/06/06 16:26
L5	7850	2 or 3 or 4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/06/06 16:26
L6	50	5 and (stegano\$1graphy or cryptograp\$3) and LFSR	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/06/06 16:27
L7	106	5 and (stegano\$1graphy or cryptograp\$3) and contour	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/06/06 16:28
L8	1290	5 and (stegano\$1graphy or cryptograp\$3) and (contour or area)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/06/06 16:28
L9	182	5 and (stegano\$1graphy or cryptograp\$3) same (contour or area)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/06/06 16:28
L10	78	5 and (stegano\$1graphy or cryptograp\$3) with (contour or area)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/06/06 16:28
S1	2	E\$1G2000	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/31 18:04
S2	1	(cryptograph\$ and graphic) and PNSG and LFSR	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/04 15:34

## EAST Search History

S3	1	(cryptograph\$ and graphic) and PNSG	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/04 15:34
S4	21	(cryptograph\$ and graphic) and LFSR	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/04 15:36
S5	122	(cryptograph\$ and graphic) and contour\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/04 15:52
S6	3	bressenham	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/04 15:40
S7	1	(cryptograph\$ and graphic) and bressenham	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/04 15:40
S8	121	((cryptograph\$ and graphic) and contour\$2) and line\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/04 15:44
S9	0	(cryptograph\$ and graphic) and three\$1dim	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/04 15:45
S10	76	G1000	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/04 15:52
S11	1	(cryptograph\$ and graphic) and G1000	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/04 15:53
S12	1	((cryptograph\$ and graphic) and contour\$2) and pole\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/04 15:54
S13	1	G2000 and (cryptograph\$3 or cipher\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/04 15:58
S14	2	E\$1G2000\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/04 15:59

## EAST Search History

S15	4	cryptograph\$ and (graphic adj algorithm\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/04 16:08
S16	29497	"380".CLAS. or "713".CLAS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/04 16:08
S17	3	("380".CLAS. or "713".CLAS.) and (graphic adj algorithm\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/04 16:15
S18	2	(cryptograph\$ and (graphic adj algorithm\$2)) and (contour\$2 or area\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/05 10:31
S19	914	(cryptograph\$ and encrypt\$ and graphic) and (contour\$2 or area\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/05 10:36
S20	5	cryptograph\$ and (graphic adj (method\$2 or mechanism\$2 or algorithm\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/05 11:30
S21	1625	(scan or sonar or radar) and cryptograph\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/05 11:32
S22	1375	(scan or sonar or radar) and cryptograph\$ and encrypt\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/05 11:32
S23	51	(scan or sonar or radar) and cryptograph\$ and encrypt\$ and array and coordinate\$ and pole\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/05 11:36
S24	30	(scan or sonar or radar) and cryptograph\$ and encrypt\$ and array and coordinate\$ and pole\$ and LFSR	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/05 11:36
S25	476	stegano\$1graphy	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/06 13:37
S26	38	(stegano\$1graphy and cryptograph\$) and (sweep or swept)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/06 13:59

## EAST Search History

S27	37	(stegano\$1graphy and cryptograph\$) and (sweep or swept) and (contour\$)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/06 14:00
S28	1064	(cryptograph\$ and graphic) and (contour\$2 or area\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/09 16:18
S29	190	(stegano\$1graphy and cryptograph\$) and dimension\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/13 11:31
S30	244	stegano\$1graphy and cryptograph\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/10 08:22
S31	1	(stegano\$1graphy and cryptograph\$) and (cell adj array\$2) and (coordinate\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/10 08:24
S32	1	(stegano\$1graphy and cryptograph\$) and (cell adj array\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/10 08:24
S33	137	(stegano\$1graphy and cryptograph\$) and (array\$2) and (coordinate\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/10 08:28
S34	94	(stegano\$1graphy and cryptograph\$) and (array\$2) and (coordinate\$2) and (contour\$2) and (line\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/10 13:22
S35	0	((stegano\$1graphy and cryptograph\$) and (array\$2) and (coordinate\$2) and (contour\$2) and (line\$2)) and pole\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/10 13:17
S36	3	(stegano\$1graphy and cryptograph\$) and pole\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/10 13:20
S37	76	(graphic\$2 and cryptograph\$) and pole\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/10 13:23
S38	114	(graphic\$2 and cryptograph\$) and (array\$2) and (coordinate\$2) and (contour\$2) and (line\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/10 16:16

## EAST Search History

S39	1	(graphic\$2 and cryptograph\$) and (array\$2) and (coordinate\$2) and (contour\$2) and (line\$2) and (pole\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/10 13:21
S40	0	(stegano\$1graphy and cryptograph\$) and pole\$2 and (contour\$2) and (line\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/10 13:22
S41	2	(graphic\$2 and cryptograph\$) and pole\$2 and array\$2 and contour\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/10 13:23
S42	53	(graphic\$2 and cryptograph\$) and pole\$2 and array\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/10 13:26
S43	76	(graphic\$2 and cryptograph\$) and pole\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/10 13:26
S44	94	(stegano\$1graphy and cryptograph\$) and (array\$2) and (coordinate\$2) and (contour\$)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/10 13:39
S45	456	(graphic\$2 and cryptograph\$) and (three or "3") adj dimension\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/10 16:17
S46	397	(graphic\$2 and cryptograph\$) and (three) adj dimension\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/10 16:17
S47	49	((graphic\$2 and cryptograph\$) and (three or "3") adj dimension\$) and (contour\$2 or encircl\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/10 16:19
S48	1286	cryptograph\$ and graphic	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/12 15:03
S49	257	(cryptograph\$ and graphic) and ((plot\$2 or draw\$2) with line\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/12 15:04
S50	40	((cryptograph\$ and graphic) and ((plot\$2 or draw\$2) with line\$2)) and (sweep\$2 or swept)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/12 16:44

## EAST Search History

S51	1	(cryptograph\$ and graphic) and Bressenham	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/12 15:07
S52	2	Bressenham adj algorithm\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/12 15:07
S53	1	"20020112159".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/12 16:46
S54	1	"20010034848".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/12 16:46
S55	14	(stegano\$1graphy and cryptograph\$) and sweep\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/13 14:00
S56	138	("380".CLAS.) and LFSR	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/13 14:02
S57	0	("380".CLAS.) and LFSR and steganography	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/13 13:58
S58	2	(stegano\$1graphy and cryptograph\$) and LFSR	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/13 14:01
S59	2	(stegano\$1graphy) and LFSR	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/13 14:01
S60	221	(cryptograph\$) and LFSR	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/13 14:01
S61	65	("380".CLAS.) and LFSR and (polynomial)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/13 14:39
S62	4	("380".CLAS.) and LFSR and (prime with polynomial)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/13 14:34

## EAST Search History

S63	0	("380".CLAS.) and encrypt\$3 and LFSR and (prime with polynomial)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/13 14:39
S64	50	("380".CLAS.) and LFSR and (encrypt\$3) and (polynomial)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/13 14:53
S65	10	("380".CLAS.) and LFSR and (encrypt\$3) and (polynomial) and seed	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2004/08/13 14:53
S67	0	(graphic\$3 adj automat\$3) with (cryptograph\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/30 16:52
S68	0	(graphic\$3 adj automat\$3) same (cryptograph\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/30 16:52
S69	0	(graphic\$3 adj automat\$3) and (cryptograph\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/30 16:52
S70	60	(graphic\$3 adj automat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/30 16:52
S71	1	S70 and encrypt\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/30 16:53
S72	221	(computer adj graphic\$3) and (cryptograph\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/31 18:05
S73	0	S72 and translocation\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/31 18:05

## EAST Search History

S74	182	S72 and random\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/31 18:06
S75	108	S72 and (pseudo adj random\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/31 18:05
S76	1	S72 and (random\$3 with distance\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/31 18:07
S77	5	S72 and (random\$3 same distance\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/31 18:09
S78	119	S72 and (random\$3 and distance\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/31 18:09
S79	35	S72 and (random\$3 and distance\$3 and pole\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/31 18:10
S80	0	S72 and ((random\$3 with distance\$3) and pole\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/31 18:11
S81	0	S72 and ((random\$3 same distance\$3) and pole\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/31 18:11
S82	35	S72 and ((random\$3 and distance\$3) and pole\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/04/01 09:21